


Sun Salut Cannes • Capri • Balcony • Elba • Côte d'Azur

For more living space outdoors.





Specifications

180

g/m²

min.15°

Cannes

Feel-good factor for the terrace, balcony or garden: the Cannes sun sail provides pleasant shade and at the same time protects against wind and rain

A sun sail is the ideal solution for that holiday feeling - on your own terrace. It can be raised quickly and easily and can be removed again at any time. Once the anchors have been attached, a sun sail in a different colour can easily be raised - for a completely new look.

Besides an attractive variety of natural colours, the sun sail Cannes is now also available in white.

Compared to other shading solutions, sun sails offer various advantages. They are also cheaper than a pergola or similar solutions. And if precious space is lost by using a parasol, this is not the case with a sun sail. In winter, the sun canopy can be easily removed and stowed away to save space.

The coated polyester fabric is wind- and water-repellent and expands your living space with a cosy place outside in the warmer months.

The UV protection 50+ stands for a very high level of protection against harmful UV radiation and is roughly equivalent to the protection factor of sunscreen - perfect for

30°

Polyester

enjoying the beautiful weather while being well protected. Sun sails are not only suitable for terraces, they can also make for a great sun canopy on the balcony, on the meadow, over the pool or in the sandpit. The only requirement: the sail must be attached at 3 or 4 points.

The reinforced hems are particularly important for a sun sail because they ensure a firm hold - and ensure that the sides do not tear even in the wind. The concave cut of the sun sail makes it possible to stretch particularly tightly and to create a straight surface that looks more appealing and provides shade more effectively.

With this high-quality, windand water-repellent sun sail, it



is important to plan a gradient of approx. 15° and to set the first anchors at a sufficient height. This prevents rainwater from collecting on the surface of the sail. You can find more tips on fastening and attaching on pages Accessories, Masts & Sets as well as Assembly & Construction options.

The Cannes sun sail is a practical solution for creating

comfortable shade in your own garden. Thanks to three different shapes, each in three different sizes and 6 colours (grey, anthracite, taupe, yellow, red, white), a suitable shade can be found for every place.





Shape & sizes

3x3x3 m / 4x4x4 m / 5x5x5 m

3x3 m / 4x4 m / 5x5 m

2x3 m / 3x4 m / 4x5 m



3 shapes, 5 colours, endless possibilities – and 1 perfect summer



Capri

Invigorating freshness and light, airy shade for your garden

The CAPRI sun sail provides pleasant shade without taking away the brightness of summer: the high-quality HDPE fabric is wind and water permeable. It stays pleasantly cool under the sun sail and there is no build-up of heat. So you can enjoy the sun as well as a fresh breeze.

While sunshades like to get in the way, sun sails don't need any floor space and leaves plenty of space for the really important things in the garden: Plants, lawns, nice places to sit and eat. In winter the sun canopy disappears conveniently to save space. The sun sails are also cheaper than other, permanent shading solutions.

CAPRI is available in various natural colours that blend in beautifully with your outdoor space. The soft colour tones do not reflect the sun and therefore do not dazzle. The newly available colour white is perfect if you are looking for a clean and bright look. Once attached, a sail in a different colour can of course be attached at any time - to give your garden a different touch. The colours are coordinated so that they harmonise, even if you want to combine several sun sails.

Of course, these sun sails do not only fit on the terrace, but are also pleasant on the lawn or above the pool. Do not allow yourself to be restricted

HDP


30°

Specifications

g/m²

by the structural conditions in your planning: if there are not enough fixed points for assembly, you will find helpful accessories on the Accessories, Masts & Sets page. For example, an adjustable sun sail mast is perfect for tensioning a 3D sail.

The easy-care HDPE is easy to clean - either at 30° in the washing machine or with mild soapy water. The fabric absorbs 90% of UV rays. CAPRI has reinforced seams that ensure a firm hold and make the sail tear-proof so that it can withstand the wind. The three available shapes are concave so that the sail can be stretched particularly neatly.









Shape & sizes

4x4x4 m / 5x5x5 m

4x4 m / 5x5 m



Balcony

Holiday feeling on the balcony! The balcony sun sail as a stylish source of shade for your outdoor oasis.

The balcony sun sail transforms outdoor areas into a shaded retreat. Its size is ideal for the balcony. It can be easily mounted without creases thanks to its concave cut. Available in 2 modern colours, the sail also provides an attractive look.

The coated polyester fabric made from 100% recycled material is wind and water repellent as well as UV and weather resistant. The reinforced hemming makes the sun sail particularly tear-resistant. It also offers excellent UV protection of 50+. So you can enjoy your outdoor area in comfort at all times.

Shape & size

The balcony awning is the ideal solution for making the most of the space available on your balcony without taking up limited floor space. You can find tips on which accessories help with installation and what else needs to be considered on the Accessories, Masts & Sets and Assembly & Construction Options pages. For the cold season, the sail can be easily removed and stored in the enclosed polyester bag.

30°

Specifications

150 g/m²

1,4x2,7 m

Elba

Impressive wind and water-permeable shading!


Our classic sun sail is available in three shapes, each in two colours, and offers a good price-performance ratio. The subtle colour tones blend harmoniously into any environment.


It is made of coated HDPE, which is resistant, durable and easy to care for. You can simply wipe the sail clean with a sponge and mild detergent or machine wash it at 30° (see chapter on care instructions).

The fabric absorbs up to 85% of UV rays and is therefore a reliable source of shade on the terrace or in the garden.

The sun sail is wind and water permeable, which has the advantage that no heat buildup occurs and you don't have to do without a cool breeze in the shade. In addition, due to the water-permeable fabric, a slight slope is sufficient for the attachment, letting the rain wash off the surface dirt.

The sun sail can be positioned as required without taking up valuable floor space. You can find tips on which accessories help with installation and what else needs to be considered on the Accessories, Masts & Sets and Assembly & Construction Options pages. It can be easily removed at any time and stored.






3,6x3,6x3,6 m

3,6x3,6 m

2,6x3,6 m

Specifications

135 g/m²



Côte d'Azur

The sun shade COTE D'AZUR creates a relaxed holiday atmosphere in the style of the French Riviera, Thanks to the pleasant shade and optimum air circulation, the temperature under the sun shade is still comfortable even on particularly hot days. It is available in two timeless colour variants (grey/white and taupe/beige) and adds a maritime touch to any outdoor area. This is how summer at home becomes a true enjoyment.

The attractive sun protection is made of special RIPSTOP polyester fabric and has a reinforced edge seam, which makes it very tear-resistant. It is also weather-resistant and UV-stabilised.


Due to its size, the sun shade COTE D'AZUR is ideal for patios, balconies and gardens and also serves as a practical travelling companion when camping. It can be attached quickly and easily using the fastening loops at all corners. You can find tips on how to attach the sun shade and what else needs to be considered on the Accessories, Masts & Sets and Assembly & Construction Options pages. After use, it can be easily removed and stowed away.

Shape & size

Specifications



Product overview



Accessories, Masts & Sets

There is a large selection of accessories so that you can attach and tension your sun sail as comfortably as possible. The ideal choice depends on individual circumstances and personal preferences. All elements are weatherproof and ideally suited for outdoor applications.

ANCHORING ELEMENTS

Attachment eyelet Art. Nr. 10893

This element can be attached to walls, masonry or wooden poles and is the perfect anchor point for raising the sun sail. When firmly screwed in place, it is designed for permanent use.



FASTENING ELEMENTS

3-part tensioning strap Art. Nr. 10944 For effortless taut tensioning of sun sails. The tensioning strap is especially suitable for larger awnings and can be flexibly attached to trees or posts.



PP-rope Art. Nr. 10709 (Ø4mmx10m) / Art. Nr. 10710 (Ø6mmx20m) Tear-proof rope for attaching the sun sail. The rope can be used to set a completely individual distance for guying. Available in two different lengths and diameters.



Tension anchor Art. Nr. 10892

Simple, but effective to use: Hook the tensioning element into the sun sail and the attachment eyelet and tension it by turning it in the middle. Made of rust-free stainless steel and therefore perfect for outdoor use.



Tension spring Art. Nr. 10787

Useful element for tensioning the sail. Keeps the distance from the sail to the fastening point minimal, but at the same time it offers elastic permanent tension and effectively cushions short, powerful gusts of wind.



Eyelet screws Art. Nr. 10896 Ideal attachment for sun sail. Particularly suitable for use on, for example, wooden posts.



Expander rope with snap hooks Art. Nr. 10898 Useful accessories for quickly

opening and closing the sun sail with snap hooks at both ends for convenient and safe assembly. Simply tighten and hook in – done.



Snap hooks Art. Nr. 10895 Using snap hooks is the easy way to hook in a sun sail - and to loosen it again. Of course, it is also used as a holder for other functions and can be used universally.



D-shackle Art. Nr. 10894 Practical connecting element from sun sail to attachment eyelet or eyelet screw: it is simply hooked and screwed. Made of stainless steel, ideal for outdoor use.



SUN SAIL MASTS

Sun sail mast PREMIUM Art. Nr. 10703

The height-adjustable sun sail mast ensures the greatest possible comfort and flexibility: the practical slide rail system enables convenient height adjustment of the individual sail corners. The precise adjustment option creates an ideal shadow cast by the sail in a few seconds. The functional plug connection enables quick and easy assembly.

Terrace holder or ground sleeve not included in the package/scope of delivery.

SAIL MAST ACCESSORIES PREMIUM

Terrace holder PREMIUM Art. Nr. 10708

Securely screwed to the terrace floor, the terrace holder is the ideal addition to the Premium sun sail mast. Withstands the heaviest loads, and the shaped tube, which is inclined by 10°, also optimises stability, as the sun sail mast has to be fixed against the pulling force of the sun sail.

Additional / spare runner Art. Nr. 10788

The practical spare runner made of high quality stainless steel for the sun sail mast Premium is particularly robust and weather-resistant. As additional runner, it is ideal for flexible height adjustment of the sun sail.



Ground sleeve Art. Nr. 10707 PREMIUM

Embedded in a concrete foundation, the Premium ground sleeve is the ideal basis for the Premium sun sail mast. Thanks to the holes for connection to the mast, the ground sleeve keeps the sun sail taut even under heavy loads.

Notice: Embed the ground sleeve in concrete at a 10° angle.



Sun sail mast set BASIC Art. Nr. 10705

The 2 in 1 solution for the terrace or green areas. The supplied terrace holder and the ground tip enable installation on the terrace as well as on the lawn. The practical plug-in construction is easy to assemble.



FASTENING SETS

Fastening set Art. Nr. 10786

With 2 tension anchors, 2 snap hooks and 4 attachment eyelets, the fastening set contains everything you need to raise the sun sail. The eyelet can be attached to the wall or a wooden pole. The tension anchor is hooked into the eyelet and the sail and tensioned.

The snap hook offers a reliable, easy way to quickly hook in and remove the sail.



Cable set Art. Nr. 10897

Set for easy tensioning of sun sails using a pulley. The rope that holds the sun sail runs over the pulley and can be tensioned in a controlled manner. With 1 pulley, rope clamp, rope and attachment eyelet each.






Assembly & Construction options

The ways in which the sun sails can be used are as varied as the gardens and terraces for which they provide shade.

The basic requirement is always that the sun sail is anchored at all corners. Anchoring elements such as the sun sail mast, attachment eyelet on the wall or eyelet screws for poles are used for this purpose. With the help of connecting elements (rope, D-shackle, snap hooks, tension anchor, expander rope, tension spring) the sun sail is hooked into the anchoring element and tensioned.

Once the anchoring is in place, there are (almost) no limits to your imagination: whether the terrace is shaded in the classic way with a single sun sail, or you combine several sun sails to form a geometric pattern.

Do you have a lot of space or are you looking for special, pin-pointed shade? Let yourself be inspired by the following structure and combination options:



Finding the right sun sail

Even if the mounting options seem endless, there are a few criteria that you should consider. Regardless of how and where you set up your sun sail.

In order to find the right sun sail for the area where you want to create shade, several factors are important.

- Position of the sun: this varies greatly depending on the time of day and time of year. It is therefore essential to observe the course of the sun beforehand and attach the sun sail in such a way that the shade corresponds to your wishes when the sun is in a different place. The rule here is: it is better to make the sun sail larger than the area to be shaded.
- The size and shape of the sun sail should cover the area well

 there are different sizes and shapes: triangular, square or
 rectangular.
- 3. A slight slope is desirable so that rain can wash away surface dirt. This should be considered before raising the sail and the first attachment points should be attached high enough.

Premium shading

The height-adjustable sun sail mast ensures the greatest possible comfort and flexibility


The practical slide rail system enables the height of the individual sail corners to be conveniently adjusted. The precise adjustment option creates an ideal shadow cast by the sail in a few seconds. The functional plug connection enables quick and easy assembly.


With free-standing sun sails, the height adjustment capacity of the PREMIUM sun sail mast is decisive:



without PREMIUM sun sail mast:











In the evening





Fixing options for you sun sail

Overview of fixing options and anchoring points by material:

Anchoring the sun sail mast in the ground:				
SUBSTRATE:	ATTACHMENT:	ANCHORING TYPE:		
Lawn and earth	Ground sleeve	Must be set in concrete		
Concrete/stone	Terrace holder	Screwed to the floor		
Wooden terrace	Terrace holder	Only if there is a solid surface (concrete, stone) underneath the wood		
Attachment points on the wall:				
SUBSTRATE:	ATTACHMENT:	ANCHORING TYPE:		

SUBSTRATE:	ATTACHMENT:	ANCHURING TYPE:
Concrete/stone	Attachment eyelet	Use screws for concrete/stone as well as suitable dowels (available in well-stocked spe- cialist shops)
Wood	Attachment eyelet	with wooden dowels (available in well-stocked specialist shops)
Insulation	Attachment eyelet	with insulation dowels (avail- able in well-stocked specialist shops)

Attachment points on posts or trees:

SUBSTRATE:	ATTACHMENT:	ANCHORING TYPE:
Wood	Eyelet screws	Screws and nuts
Wood	Tensioning strap with ratchet	Strap loop and hook (already included)





Tips, Care instructions & Assembly

Tips for raising the sail

- 1. Always tension the sun sails well! A stretched, straight sun sail looks nicer and provides more effective shade.
- 2. Use at least 2 tensioning elements for raising the sun sail so that you can tension the sail well.
- 3. With the right attachments, sun sails are very stable in the wind. Nevertheless, it is advisable to take the sun sail down in severe weather, thunderstorms, very heavy rain or storms.
- 4. A gradient of 15° (approx. 15 cm per metre) ensures that the rain does not collect on the sun sail, but can run off. A must for sun sails made of polyester fabric! Rain that collects on the sun sail not only makes the sail heavier and increases the overall load on the attachments, but in extreme cases it can also lead to a deformation of the fabric, which cannot be remedied even by renewed, tighter tensioning. In the case of water-permeable sails, the slope is not absolutely necessary - but it serves to ensure that surface dirt is simply washed away when it rains.

Care instructions

- When loosening the connecting or tensioning elements of the sail, be careful not to damage the fabric or accessories.
- Before stowing the shade sail away, clean it carefully but thoroughly. In particular, dirt such as twigs, branches, leaves and bird droppings must be removed before storage.
- The sun sail can be cleaned with a cloth and mild soap. Please do not use chemical solutions, acids or alkalis. High-pressure cleaners, steam jets and hard brushes also damage the fabric of the sun sail.



Assembly

If the sun sail is already ready at your home, it just needs to be stretched out:

- Lay out the sun sail without tensioning it.
- Make sure that the attachment points you choose are suitable; if necessary, you can fall back on our extensive range of accessories.
- Now hang the sun sail on the attachment points but leave a distance from the sail to the attachment so that you have space to tighten the sail!
- Tension the sail with at least 2 tensioning elements
- Finished! Enjoy the shade.



WINDHAGER HANDELSGES.M.B.H. Industriestraße 2 A-5303 Thalgau austria@windhager.eu

WINDHAGER SCHWEIZ AG Bösch 25 CH-6331 Hünenberg swiss@windhager.eu

WINDHAGER FRANCE SAS 2A rue de Bruxelles 67170 Bernolsheim france@windhager.eu



08/2024 We accept no liability for errors or printing mistakes.